



**TOOPER**  
Pro-LED Lighting Inc.

**PRODUCT  
CATALOGUE**



# Recessed Slims



## 9W 4INCH

**LED-420T**

640lm  
IC rated  
110°



**LED-430T**

640lm  
IC rated  
110°



**RH-RP-12**

750lm  
IC rated  
110°



## 6W 3INCH



**LED-320**

400lm  
IC rated 110°

## 6W 3.5INCH



**RH-RP 3.5"**

500lm  
IC rated 110°

## 15W 6INCH



**LED-620T**

1200lm  
IC rated 110°

## 18W 8INCH



**LED-820T**

1500lm  
IC rated 110°

**CONTACT US**

#13- 31 Progress Ave.  
Scarborough, ON

+647-727-2110  
[www.ectstar.lighting](http://www.ectstar.lighting)

# Recessed Slims

## 9W 4INCH



### LED-420

650lm  
3000k, 4000k,  
5000k, 6500k

### RH-RP 12

750lm  
3000k, 4000k,  
5000k

## 12W 4INCH



### LED-421

840lm  
IC rated 110°

## 9W 4INCH SQUARE



### LED-420ST

round cut-out  
650lm  
IC rated 110°

## 4INCH SLIM GIMBAL



### RH-RP-12 DB

9w 750lm  
non-IC low profile  
45°

## 4INCH IC GIMBAL



### RH-RP-12A

9w 750lm  
45° IC rated

## 4INCH FLOAT



### RH-RP-TJ

9w 840lm  
IC rated 110°

**CONTACT US**



#13- 31 Progress Ave.  
Scarborough, ON


+647-727-2110  
[www.ectstar.lighting](http://www.ectstar.lighting)

# Under Cabinet

## 2.5 INCH

<b>LED-CT3</b>	<b>LED-CT3P</b>
240lm	120lm
3W, 12V DC	1.5W
Recessed In	12V DC
3000K, 4000K, 5000K	Recessed In 3CCT





## LINEAR LTE5 SERIE

<b>LTE5-12</b>	<b>LTE5-24</b>	<b>LTE5-36</b>
4W	7W	13W
360lm	630lm	1170lm
1ft	2ft	3ft

*5000k, 120v direct connection  
inter-linking system, 6FT power cord*




## DIMMABLE ALUC

<b>ALUC-14</b>	<b>ALUC-22</b>
7W	11W
360lm	610lm
14inch	22inch

*120v direct connection  
inter-linking system*







# Flush Mounts

## SURFACE MOUNT PANEL

**LED-H901**  
9 INCH  
15W 1080lm  
AC110-121V

**SMDLE-12C**  
12 INCH  
24W 1920lm  
AC110-121V



## DOUBLE RING CEILING LIGHT

**HY-DR14**

14\*3 INCH  
22w 1665lm  
AC120V



## SINGLE RING CEILING LIGHT

**FM15-22W**

15INCH  
22W  
1850lm

**CL-21D**

13INCH  
21W  
1450lm



**CONTACT US**

#13- 31 Progress Ave.  
Scarborough, ON

+647-727-2110  
[www.ectstar.lighting](http://www.ectstar.lighting)

# LED Tubes

## 4 FT T8

T84FT	T08L21	CH1152H
18W	12W	15W
2200lm	1700lm	2000lm
120V	120V	120V-347V
TYPE A&B	TYPE A&B	TYPE B
4000K, 5000K, 6000K	4000K	5000K



## 8 FT T8



### ZS-T8-40P

40W, 5000lm, TYPE B  
FA8, G13, R17D  
120V, 120-347V, 5000K

## 4 FT T5



### CH1156

25.5W, 3400lm  
120V, 5000k  
TYPE B

## COOLER LIGHT



*direct wire*



### ZY-30W

6FT, 30W  
3900lm  
120V, 5000K

### ZY-18W

4FT, 18W  
2340lm  
120V, 5000K

## SHOPLIGHT




*inter-linkable*



### CH2155

36W, 3400lm  
120V, 5000k  
TYPE B

# Toffer Panels




## SINGLE CCT

### PLB-50W24

2X4FT  
50W, 120V, 6500lm  
4000K  
0-10V dimmable

### PLB-35W22

2X2FT  
35W, 4500lm, 120V  
5000K  
0-10V dimmable



## WATT & CCT ADJUSTABLE

### PLB-XXW24

2X4FT  
30-40-50W  
128lm/W  
120-347V  
3-CCT  
0-10V dimmable

### PLB-XXW22

2X2FT  
30-40-50W  
128lm/W  
120-347V  
3-CCT  
0-10V dimmable

### PLB-XXW14

1X4FT  
25-30-35W  
128lm/W  
120-347V  
3-CCT  
0-10V dimmable



# Indoor Commercial

## UFO HIGHBAYS

UFO100	UFO150	UFO200
100W	150W	200W
15000lm	22500lm	30000lm
120V/347V	120V/347V	120V/347V
5000K	5000K	5000K



4000k-5000k-  
6000k adjustable



## UFO HIGHBAY 3-CCT

UFO100CB	UFO150CBX	UFO200CBX
100W	150W	200W
16000lm	24000lm	32000lm
3-CCT	3-CCT	3-CCT
120-347V	120-347V	120-347V
Φ280mm	Φ280mm	Φ340mm

## CANOPY

CPXW60	CPXW80	CPXW100	CPXW120
60W	80W	100W	120W
7800lm	10400lm	13000lm	15600lm
120V	120V	120V	120V
5000K	5000K	5000K	5000K



**CONTACT US**

#13- 31 Progress Ave.  
Scarborough, ON

+647-727-2110  
www.ectstar.lighting

# Linear Highbays

## LINEAR STRIP

**HY4FT-LS100**

4FT

3-CCT

130lm/W

20-30-40W

AC120-347V

**HY8FT-LS100**

8FT

3-CCT

130lm/W

40-50-60W

AC120-347V



## VAPOR TIGHT

**HY-4FT-VT**

4FT

3-CCT

130lm/W

20-30-40W

AC120-347V



## LINEAR HIGHBAY

**PHB06**

110W, 14850lm

2X1 FT

120V-347

6500K

IP40



**CONTACT US**

#13- 31 Progress Ave.  
Scarborough, ON

+647-727-2110  
[www.ectstar.lighting](http://www.ectstar.lighting)

# Outdoor Lights

## SHOEBOX

SBL100	SBL150	SBL200
100W	150W	200W
14000lm	21000lm	28000lm
120V	120V, 347V	120V
5000K	5000K	5000K



## RGB FLOOD LIGHT



**FLHL-RGB**  
40W, 5200lm, 120V  
RGB app controlled

## FLOOD LIGHTS



**FLHL**  
35W, 50W, 100W, 150W  
130lm/W, 120V, 5000K  
with photocell sensor

## WALL PACKS



**WPXW/WPGR**  
45W, 60W, 75W, 80W, 100W, 120W  
120lm/W, 120V, 5000K  
with photocell sensor

## BARN LIGHT



**YAXW40**  
40W, 4800lm  
120V, 3CCT  
with photocell sensor

**CONTACT US**

#13- 31 Progress Ave.  
Scarborough, ON

+647-727-2110  
www.ectstar.lighting

# LED Strips

## HARD STRIPS

1ft, 2ft, 3ft, 4ft

3.5w/ft



325lm/ft

3000k, 6000k

12V DC

frosted cover

*inter-linking system*



## OUTDOOR STRIPS

RH-5050SMD

120V

8W/m, 580lm/m

Available for 25m, 50m roll  
waterproof

3000k, 6000k, RGB



## SOFT STRIPS




2835 12V

DC12V 240LED/m

5M\*10mm Roll

3000K/6000K

## COB STRIPS



COB 12v/24v

DC12V/24V, 320LED/m


5m roll, IP20

3000k/6000k

# Sign Lights

## SIGN MODULES

**2835 1.2W**  
SMD 2835  
Samsung Chips  
3LED modules  
DC12V 1.2w  
9000k



## DOUBLE SIDED TUBES

ZS-T8-D6	ZS-T8-D7	ZS-T8-D8
40W 6FT	48W 7FT	50W 8FT
5000K	5000K	5000K
5200lm	6240lm	6500lm
120-347V	120-347V	120-347V



## EMERGENCY LIGHT



### JLEU10

1.0w / head 6000-7000k  
charge time: 24hrs  
discharge time: 120mins  
200lm 216\*45\*100mm

## EXIT SIGNS



### JRMECW

charge time: 24hrs  
discharge time: 120mins  
Ni-cad 3.6v 1000mA battery  
9\*3.6\*2inch 6000-7000k

# Transformers



## OUTDOOR POWER SUPPLIES

LPV-60-12	CYX-100-12P	CYX-150-12P	CYX-200-12P	CYX-200-12P
input 100-240v	input 100-240v	input 100-240v	input 100-240v	input 100-240v
output 12v	output 12v	output 12v	output 12v	output 12v
60W	100W	150W	200W	240W
CLASS 2	IP67	IP67	IP67	IP67
IP67				



## TRANSFORMERS W/ WALL PLUG

ZF120A-12v	ZF120A-24v	KS100DU-12v
input 100-240v	input 100-240v	input 100-240v
output 12v	output 24v	output 12v
5.0A, 60W	4.0A, 96W	8.0A, 96W
CLASS 2	CLASS 2	

# SIGN PANELS

## ACRYLIC BOARD

### XT-425


Color: Milky White  
Dimension: 1240mm X 2460mm  
Thickness of Aluminum: 4.5mm, 3mm  
PE coating, clear film  
unbroken plastic core



## ALUPANEL

### 9901G/9901

Color: White, Black  
single side; double side Glossy + Matt  
Dimension: 1220mm X 2440mm  
Thickness of Aluminum: 1.5mm, 2.2mm, 3mm  
Other: PE coating, unbroken plastic core, clear film



**CONTACT US**

#13- 31 Progress Ave.  
Scarborough, ON

+647-727-2110  
[www.ectstar.lighting](http://www.ectstar.lighting)

# Junction Boxes



**54151-K**

Octagonal box  
4" \* 4" \* 1-1/2"


**54151-L**

Octagonal box  
4" \* 4" \* 1-1/2"



**1110**

Single Gang Steel Utility Box  
4" \* 2-1/2" \* 1-7/8"



**2104-LLE**

Single gang  
3" \* 2" \* 2-1/2"



**1104-LH**

Single gang  
3" \* 2"




**2104-LLE2**

2 gang steel device boxes  
3" \* 3-3/4" \* 2-1/2"



**2104-LLE3**

3 gang steel device boxes  
3" \* 5-1/2" \* 2-1/2"



**SA-11A**

3- Way Dimmer  
600W, 12v, 60Hz

**CONTACT US**

#13- 31 Progress Ave.  
Scarborough, ON


+647-727-2110  
[www.ectstar.lighting](http://www.ectstar.lighting)



# Fixtures

## GALVANISED PLATE

GP-4A	GP-4-INC	GP-3.5A-INC
4inch	4inch	3.5inch
With lip	without	With lip
336.5*165*	lip	336.5*165*11.3
11.3mm	336.5*165*	mm
	11.3mm	



*with measurements*

## SHOWER TRIMS



4" Water proof Fits PAR16/  
PAR20/ GU10/ MR16  
Glossy white/ Brush Nickle

## GIMBLE TRIMS



Fits PAR16/ PAR20/ GU10/ MR16  
Glossy white/ Brush Nickle/ Matt  
Black/ Chrome/ Copper

## VAPOR BARRIER



**VB-B**  
750\*545\*200mm  
clear color

## VAPOR BARRIER




**VBE-4**  
465\*215\*72mm  
clear color

# Housings



Non- IC rated  
retrofit 4 inch  
E26/GU10 Socket




IC-rated Retrofit  
4 inch  
E26/GU10 Socket



Non-IC New Construction  
3 inch / 4 inch / 5 inch / 6 inch  
E26/GU10 Socket



IC- rated New Construction  
3 inch / 4 inch  
E26/GU10 Socket



Non-IC retrofit  
3 1/2 inch  
E26/GU10 Socket



Non-IC retrofit  
3 inch  
GU10 socket

# LED Displays

## MULTI COLORS

### LED Message Board

Indoor/ Outdoor  
RED/ 7 colors  
Module: P10



## FULL COLOR

### LED Video Board

Indoor/ Outdoor  
Full color  
P10/ P8/ P6/ P4/ P3/ P2.5

## FULL COLOR

### LED Video Wall

Indoor  
Full color  
P10/ P8/ P6/ P4/ P3/ P2.5



